


General circulation of the atmosphere  
 Problem set 1

Problem 1.



Consider steady flow of water through a pipe with constant height  $H$  and variable width,

$$W(x) = W_0 \left( 1 - \frac{1}{2} \tanh x \right),$$

where  $W_0 = 1$  m. At the upstream end of the pipe ( $x \rightarrow -\infty$ ), the average velocity of the flow within the pipe is equal to  $U = 1$  m s<sup>-1</sup>.

- Calculate the velocity at the downstream end of the pipe ( $x \rightarrow \infty$ ).
- Calculate the rate of change of velocity for a parcel or fluid at the point  $x = 0$ .
- Explain why the parcel experiences acceleration even though the flow is steady.
- Assuming the flow is frictionless, estimate the horizontal pressure gradient at the location  $x = 0$ . Assume the density is 1000 kg m<sup>-3</sup>

Problem 2.

Define the potential temperature by

$$\theta = T \left( \frac{p}{p_0} \right)^{R/c_p}$$

- Show that this quantity is conserved for adiabatic displacements.

Consider an atmosphere at rest with a potential temperature distribution equal to  $\theta_0(z)$ . Suppose an air parcel is displaced vertically from its resting position a small distance  $\delta z$ .

- b) Assuming adiabatic air motion, estimate the buoyancy of the displaced air parcel. Here, the buoyancy is defined,

$$b = -\frac{g(\rho - \rho_0)}{\rho}.$$

A simplified evolution equation for the vertical velocity  $w$  relates vertical accelerations to the buoyancy,

$$\frac{Dw}{Dt} = b.$$

- c) Use this equation and your answer to (b) to calculate the evolution of the vertical velocity as a function of time for small displacements. What are the characteristics of the resulting motion? How does this depend on the vertical gradient of the potential temperature?

### Problem 3.

Show that for the spherical coordinate system defined in lectures,

$$\frac{D\mathbf{u}}{Dt} = \left( \frac{Du}{Dt} - \frac{uv \tan \phi}{r} + \frac{uw}{r} \right) \hat{\lambda} + \left( \frac{Dv}{Dt} + \frac{u^2 \tan \phi}{r} - \frac{vw}{r} \right) \hat{\phi} + \left( \frac{Dw}{Dt} - \frac{u^2 + v^2}{r} \right) \hat{r}$$

Hint: calculate the rate of change of the basis vectors.